

Message

From: Nguyen, Thuy [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=FDF4C9A977D4493E948C607108A47C0E-THUY NGUYEN]
Sent: 12/18/2020 3:51:49 PM
To: Qian, Yaorong (qian.yaorong@epa.gov) [qian.yaorong@epa.gov]; Anderson, Neil [Anderson.Neil@epa.gov]; Nesci, Kimberly [Nesci.Kimberly@epa.gov]
Subject: FW: Containers (Ordering only 2.5 gal containers today)

FYI

From: Nguyen, Thuy
Sent: Friday, December 18, 2020 10:34 AM
To: Karen Larson <klarson@clarke.com>; Tham, Kan <Tham.Kan@epa.gov>
Cc: Hayes, Sharon <Hayes.Sharon@epa.gov>
Subject: RE: Containers (Ordering only 2.5 gal containers today)

No, the equipment rinses do not need to be shipped cold
Thanks
Thuy

From: Karen Larson <klarson@clarke.com>
Sent: Friday, December 18, 2020 10:24 AM
To: Nguyen, Thuy <Nguyen.Thuy@epa.gov>; Tham, Kan <Tham.Kan@epa.gov>
Cc: Hayes, Sharon <Hayes.Sharon@epa.gov>
Subject: RE: Containers (Ordering only 2.5 gal containers today)

Good morning,

Yes, the jugs will ship today. I will provide the tracking information as soon as FedEx picks them up.

I can add a 250-mL sample from a drum to the set of production samples we are planning for Monday. We ordered PTFE-free bottles and caps, which should arrive Monday. Assuming they do, we will send the drum sample and production samples, with equipment rinse and trip samples, by overnight delivery for Tuesday delivery.

The Anvil 10+10 samples do not need to be shipped cold. The equipment rinse will be deionized water, will these need to be shipped cold?

Thank you,
Karen

From: Nguyen, Thuy <Nguyen.Thuy@epa.gov>
Sent: Friday, December 18, 2020 8:35 AM
To: Tham, Kan <Tham.Kan@epa.gov>; Karen Larson <klarson@clarke.com>
Cc: Hayes, Sharon <Hayes.Sharon@epa.gov>
Subject: RE: Containers (Ordering only 2.5 gal containers today)

Karen and Kan

If both the drum and the jug are "level 3 fluorinated HDPE", we need to change our game plan. Let me know if you agree
We need to test:

- Rinsate from unused drum and jug. I will let you know early next week, if we are ready to receive the drum. You are shipping the jugs out today, right?

- Samples taken from drums. Karen, can you pull a sample from a drum into the non-PFAS container and ship it to me as soon as you can?
- Samples from jugs – I already have those and will test them as soon as I have a method
- Samples right after production/manufacturing.

Karen- for samples (products) please include equipment rinse blank (s) and trip blank. Please do not pack samples in blue ice. Use ice if needed (I don't think the samples need to be shipped cold, but just in case)

Thank you so much for working with us on this

Thuy

From: Tham, Kan <Tham.Kan@epa.gov>

Sent: Thursday, December 17, 2020 4:16 PM

To: Karen Larson <klarson@clarke.com>

Cc: Tham, Kan <Tham.Kan@epa.gov>; Charlton, Tom <Charlton.Tom@epa.gov>; Spencer Sauter <spencer.sauter@erg.com>; Andrea Schnitzer <Andrea.Schnitzer@erg.com>; Nguyen, Thuy <Nguyen.Thuy@epa.gov>

Subject: RE: Containers (Ordering only 2.5 gal containers today)

Hi Karen,

For the first shipment of (2-2.5 gal empty containers and 2 caps), please ship the following items highlighted in yellow to Thuy Nguyen, Branch Chief at the Ft Meade Lab in Maryland. She would like to receive the shipment by either Dec 21 or Dec 22. Also, please send the invoice to Spencer Sauter at ERG, Inc. His contact information is listed below.

Qty	Item	Description	Unit Cost	Total
2	11358-B	JUGS PLAIN 2.5 gal	2.01	4.02
2	40012	CAPS (PELLETS/2x2.5GAL)	0.29	0.58

Containers Ship to:

Thuy Nguyen
 Analytical Chemistry Branch
 USEPA/OPP/Biological and Economic Analysis Division (7503P)
 Environmental Science Center
 701 Mapes Road
 Ft Meade, Maryland 20755-5350

Invoice of this transaction to:

Spencer Sauter
 Andrea Schnitzer
 Easter Research Group, Inc.
 2300 Wilson Blvd., Ste 350
 Arlington, VA 22201
 Email: andrea.schnitzer@erg.com
 Email: Spencer.Sauter@erg.com

Please provide the tracking number of the shipment for the container to me. I will call you next week to place the rest of order for 30 gal and 55 gal plastic drums, when we have more information become available. Thank you.

Kan S. Tham
Toxics, Pesticides and Drinking Water Compliance Section
US EPA Region 1 (New England)
5 Post Office Square, Suite 100
Mail Code (OES05-4)
Boston, MA 02109-3912
617-918-1872 (phone)
617-918-0872 (fax)
Tham.kan@epa.gov